Classe 5
S / S Tall

Key Features

STANDARD



+ STEADY BREW (NO 1GR/1GR TALL/1GR TANK)
+ ERGONOMIC PORTAFILTER

OPTIONAL



+ C-LEVER
+ iSTEAM (NO 1GR TANK)
+ CUP WARMER (WITH ON-OFF BUTTON, NO 1GR/1GR TANK/COMPACT/TALL)
+ LED LIGHTS (WORK AREA)
+ GAS HEATING (NO 1GR / 2GR COMPACT / TALL)
+ PODS&CAPS (ACCORDING TO AVAILABLE SYSTEMS)

Technical Specifications

1GR/1GR TANK /1GR TALL

W X D X H
410x539x520 mm
16.14x21.22x20.47 in

WEIGHT
37 kg / 81.57 lb

BOILER
4 l / 0.9 gal UK

POWER SUPPLY
220-240 V, 50-60 Hz
2050 W (1800 W Tank)

WATER SUPPLY
+ Fixed water connection
+ Built-in 2-liter water tank (1GR Tank)

NOISE LEVEL DURING USE
< 70 dB

2GR/2GR TALL

W X D X H
771x539x520 mm
30.35x21.22x20.47 in

WEIGHT
75 kg / 163.14 lb

BOILER
11 l / 2.4 gal UK

POWER SUPPLY
220-240 V, 50-60 Hz
4750 W
380-415 V (3N), 50-60 Hz
4750 W
208-220 V, 60 Hz
4000-4950 W
240 V, 60 Hz
4000-4950 W

WATER SUPPLY
Fixed water connection

NOISE LEVEL DURING USE
< 70 dB

2GR COMPACT/ 2GR COMPACT TALL

W X D X H
611x539x520 mm
24.05x21.22x20.47 in

WEIGHT
55 kg / 121.25 lb

BOILER
5 l / 1.1 gal UK

POWER SUPPLY
220-240 V, 50-60 Hz
3550 W
380-415 V (3N), 50-60 Hz
3550 W
208-220 V, 60 Hz
2950-3570 W
240 V, 60 Hz
2950-3570 W

WATER SUPPLY
Fixed water connection

NOISE LEVEL DURING USE
< 70 dB

3GR/3GR TALL

W X D X H
1011x539x520 mm
39.80x21.22x20.47 in

WEIGHT
85 kg / 187.39 lb

BOILER
16 l / 3.5 gal UK

POWER SUPPLY
220-240 V, 50-60 Hz
6640 W
380-415 V (3N), 50-60 Hz
6640 W
208-220 V, 60 Hz
5500 W
240 V, 60 Hz
6720 W

WATER SUPPLY
Fixed water connection

NOISE LEVEL DURING USE
< 70 dB

Colours

+ ANTHRACITE BLACK
+ STONE GREY
+ ICE WHITE

Materials

+ BRUSHED STAINLESS STEEL
+ ABS AND NYLON

Tall Version



MAX CUP HEIGHT
14.5 cm / 5.7 in

Classe 5 Leva

Key Features

STANDARD



+ ERGONOMIC PORTAFILTER
+ GRID SYSTEM

OPTIONAL



+ C-LEVER
+ CUP WARMER (WITH ON-OFF BUTTON)
+ GAS HEATING

Technical Specifications

2GR	3GR	4GR
W X D X H 770x540x809 mm 30.31x21.26x31.85 in	W X D X H 1010x540x809 mm 39.76x21.26x31.85 in	W X D X H 1250x540x809 mm 49.21x21.26x31.85 in
WEIGHT 71 kg / 156.53 lb	WEIGHT 88.9 kg / 195.99 lb	WEIGHT 107 kg / 235.89 lb
BOILER 11 l 2.4 gal UK	BOILER 16 l 3.5 gal UK	BOILER 22 l 4.8 gal UK
POWER SUPPLY 220-240 V, 50-60 Hz 4650 W 380-415 V (3N), 50-60 Hz 4650 W	POWER SUPPLY 220-240 V, 50-60 Hz 6420 W 380-415 V (3N), 50-60 Hz 6420 W	POWER SUPPLY 220-240 V, 50-60 Hz 6490 W 380-415 V (3N), 50-60 Hz 6490 W
WATER SUPPLY Fixed water connection	WATER SUPPLY Fixed water connection	WATER SUPPLY Fixed water connection
NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB	NOISE LEVEL DURING USE < 70 dB

Colours

+ ANTHRACITE BLACK
+ STONE GREY
+ ICE WHITE

Materials

+ BRUSHED STAINLESS STEEL
+ ABS AND NYLON

Connect

Power to Your Coffee Business

It doesn't matter what size your organization is, the only important thing is that you want to improve your coffee business. Connect helps you to make effective use of the data generated by your coffee machines, and support you in advancing your own journey becoming a data-driven business. It's time to take a competitive advantage in whatever marketplace you operate in.

RANCILIOGROUP.COM/CONNECT

BENEFITS


1
USER-FRIENDLY DASHBOARD

2
MANAGE YOUR FLEET WITH EASE

3
BOOST SERVICE EFFICIENCY

4
INCREASE BUSINESS PERFORMANCE

How It Works



EN 90011309 | 04-2022

RANCILIO GROUP

ranciliogroup.com

an Ali Group company

GROUP

The Spirit of Excellence