nuova SIMONELLI®
The coffee machines you can trust.

APPIA life.



Coffee machines for life.

ENG


nuova
SIMONELLI®
The coffee machines you can trust.



life.





Coffee machines for life.



APPIA *life.*

APPIA LIFE **XT**
3 GROUPS





APPIA LIFE **XT**
2 GROUPS

XT SERIES

TIMER SERIES

APPIA LIFE **TIMER**
2 GROUPS





the family expands

APPIA LIFE
3 GROUPS



APPIA LIFE
1 GROUPS



APPIA LIFE **TIMER**
3 GROUPS



APPIA LIFE **COMPACT**
2 GROUPS



STANDARDSERIES

APPIA LIFE
A GUARANTEE FOR SUCCESS

Appia Life is created based on the success of the Appia.

With its high productivity and high performance, this machine is appreciated by thousands of baristas worldwide.

The continuous studying and researching of the Nuova Simonelli team regarding the Appia Life, made possible the creation of a superb machine; even more comfortable for the barista with even simpler maintenance compared to the previous Appia.

Appia Life has been studied for those who want a simple and trustworthy machine. It is the perfect coffee maker for large companies, coffee shop chains or wherever there is a need to prepare an abundance of great coffee.

Simple and innovative. Appia life stands out, not only for its proven reliability but also for the modern style that makes it unique.

On top of this, now Appia Life was designed to save energy, sustain the environment, and be cost-effective.

Appia Life is now also available with a display in the XT and TIMER versions.

High productivity and more sustainable

Watch the video



simple and... innovative



ENERGY SAVING & COST-EFFECTIVE





INSULATION
The boiler of the Appia Life has DRYTEX THERMICAL technology insulation that

reduces **13%***

of energy consumption compared to the Appia II, and it comes as standard series in the whole range of the machine.

CONSUMPTION
Appia Life guarantees a

20% reduction

in energy consumption and environmental impact. The Life Cycle Assessment** analysis confirms that the Appia Life with its new thermal system, new materials, and general optimization of the mechanical components, has **20%** less environmental impact compared to the Appia II.

life.

* value calculated on Appia Life vs Appia II benchmark

** Life Cycle Assessment is a structured and standardized method used worldwide that quantifies the potential impacts on the environment and human health associated with the use of a product, starting with respecting resources and emissions.

life.



APPIA LIFE: PRODUCTIVITY AND CONSISTENCY

HIGH PRODUCTIVITY
Appia Life is able to prepare up to **250** cappuccinos* on daily basis.

MACHINE CONSISTENCY. BECAUSE EVERY CUP COUNTS.
The machine consistency is based on the following technology:

- **SIS – SOFT INFUSION SYSTEM**
  SIS guarantees a soft infusion allowing a consistent result, it compensates for any incorrect coffee tamping and it avoids the channelling effect.

- **EASYCREAM**
  It allows the quick and automatic making of a dense and velvety milk cream. The nozzles thermal insulation allows this component to be safe, reliable and hygienic.

*Data: Appia Life 2groups volumetric

APPIA life.

XT SERIES

EVEN MORE ADVANCED

The new XT version completes the Appia Life machines family, available in 2 and 3 groups in the volumetric version (5 dispensing keys per group).

The performance remains unchanged compared to the 2 and 3 group Appia Life models, but the Appia Life XT has evolved in the form and in the innovative details that improve the final results thanks to the TFT display, pressure sensors, led lights and telemetry.



TFT DISPLAY FEATURES

DOSE PROGRAM
It allows programming the dose for each group.

CLEANING
It allows scheduling the group cleaning and set up the alarm.

COUNTERS
It's possible to see how many times each group dispensed coffee.

DISPLAY AND BUTTONS
It's possible to adjust the brightness of the buttons and display.

SETTINGS
It allows the setting of standard functions and it provides information about the software and connection.

PRESSURE SENSORS
It allows to read directly from the display the pressure inside the boiler.



APPIA life.

TIMER SERIES

FOCUS ON DOSE CONSISTENCY

We called it Timer as its tft display can show the shot time in order operators can check consistency in the cup.

The performance remains unchanged compared to the 2 and 3 group Appia Life models. Appia Life Timer is available in 2 and 3 groups in the volumetric version (5 dispensing keys per group) with a mechanical pressostat.



APPIA LIFE TIMER DISPLAY FEATURES

DOSE PROGRAM
It allows programming the dose for each group.

CLEANING
It allows scheduling the group cleaning and set up the alarm.

COUNTERS
It's possible to see how many times each group dispensed coffee.

DISPLAY AND BUTTONS
It's possible to adjust the brightness of the buttons and display.

SETTINGS
It allows the setting of standard functions and it provides information about the software and connection.



GREAT COMFORT MEANS HAPPY BARISTAS

Happy barista means greater productivity.

Appia Life makes productivity even more efficient thanks to it's ergonomic style, improving the service speed and assisting the barista in day-to-day performances.



REVERSE MIRROR
This feature allows the barista to check the coffee dripping and cleanliness of the filter holder from a much more comfortable position.



ALIGNED CUP WARMER
The cup warmer is aligned with the top of the machine. Thanks to this feature, the user has an easier reach and speeds up the working process.



PUSH BUTTON PANEL
The push-button panel has been re-created to be user friendly and more resistant in the long run.



EASY MAINTENANCE
Appia Life has been designed to be more efficient when it come to maintenance. The complete new style of the machine facilitates the user in any operations routine. Its new adjustable nozzle attachment, new side opening system and redesigned groups, are all features that allow it to be majorly efficient.



NO ONE HAS EVER GIVEN YOU SO MUCH FOR THE SAME VALUE AS APPIA LIFE

Appia Life is available with 2 groups as “Semi-automatic” and “Volumetric”, which has useful functions including the practical “automatic wash”.

SEMI-AUTOMATIC

VOLUMETRIC





redesigned and enhanced

NEW DESIGN

Even more compact, the Appia Life empowers a stronger connection between machine and barista. The new stylish design allows the coffee machine to be suitable for any arrangement.

With the edition of two chrome bands wraped around the rear panel, the machine radiates a serene fascination.

RAISED GROUP



LOW GROUP



SINGLE GROUP



COMPACT



FUNCTIONAL ASPECTS

Appia Life has all the great features of the previous Appia, only better; push & pull levers, soft-touch portafilter, stainless steel drip tray, adjustable steel nozzles, the wide work surface, the water level indicator, the dual scale pressure gauge and the raised or standard height groups are all re-confirmed features of this incredible machine.


The remote control function is one of the newest features of the Appia Life. It helps the user control and manage the machine from a remote device.



ENERGY EFFICIENCY



LONG LASTING MACHINE



SMART

STAINLESS STEEL STEAM WAND

ALIGNED CUP WARMER





AUTOMATIC CLEANING

DIGITAL CONTROL

TELEMETRY

PUSH & PULL LEVERS

RAISED OR LOW GROUP

EASY CREAM SYSTEM

DELICIOUS COFFEE

REVERSE MIRROR

TOUGH

USER FRIENDLY



XT SERIES





TIMER SERIES





STANDARDSERIES




XT SERIES



VERSION		XT 2 GROUPS	XT 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	11 lt	15 lt
	INSULATION	included	included
	PRESSURE SENSORS	included	included
	PID	included	included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	included	included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
TELEMETRY		optional	optional
DISPLAY		included	included
DIMENSION	W x D x H mm	784 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	3150 W	5200 W

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance 3 GROUPS


TIMER
SERIES



VERSION		TIMER 2 GROUPS	TIMER 3 GROUPS
MODEL		Volumetric	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	11 lt	15 lt
	INSULATION	included	included
	PRESSURE SENSORS	not included	not included
	PID	not included	not included
GROUP	RAISED GROUPS	optional	optional
	LED LIGHTS	not included	not included
STEAM	EASYCREAM	optional	optional
	COOL TOUCH STEAM WAND	optional	optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
RAIL		optional	optional
TELEMETRY		optional	optional
DISPLAY		included	included
DIMENSION	W x D x H mm	784 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	72/85
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	3150 W	5200 W

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance 3 GROUPS


STANDARD SERIES



TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance 2 GROUPS



VERSION		2 GROUPS		3 GROUPS	
MODEL		Semi-automatic	Volumetric	Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	11 lt	11 lt	15 lt	15 lt
	INSULATION	included	included	included	included
	PID	not included	not included	not included	not included
GROUP	RAISED GROUPS	optional	optional	optional	optional
STEAM	EASYCREAM		optional		optional
HOT WATER	N. WAND	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC		optional		optional
RAIL		optional	optional	optional	optional
TELEMETRY			optional		optional
DIMENSION	W x D x H mm	784 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	1014 x 544 x 500
WEIGHT	NET/GROS KG	54/66	54/66	72/85	72/85
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	3150 W	3150 W	5200 W	5200 W

STANDARD
SERIES

WHITE PEARL



BLACK




HEART RED



TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.

Hole size and distance COMPACT



VERSION		COMPACT	
MODEL		Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	7,5 lt	7,5 lt
	INSULATION	included	included
	PID	not included	not included
GROUP	RAISED GROUPS	optional	optional
STEAM	EASYCREAM		optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
TELEMETRY			optional
DIMENSION	W x D x H mm	554 x 545 x 498	554 x 545 x 498
WEIGHT	NET/GROS KG	42,5/52,5	42,5/52,5
	VOLTAGE	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
POWER	MAXIMUM POWER	2900 W (230 V) 1400 W (115 V)	2900 W (230 V) 1400 W (115 V)

STD

STANDARD SERIES

WHITE PEARL



HEART RED




BLACK



VERSION		1 GROUP	
MODEL		Semi-automatic	Volumetric
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	5 lt	5 lt
	INSULATION	included	included
	PID	not included	not included
GROUP	RAISED GROUPS	included	included
STEAM	EASYCREAM		optional
HOT WATER	N. WAND	1	1
	ECONOMIZER	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional
TELEMETRY			optional
DIMENSION	W x D x H mm	404 x 545 x 498	404 x 545 x 498
WEIGHT	NET/GROS KG	32,5/41	32,5/41
POWER	VOLTAGE	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
	MAXIMUM POWER	1900 W (230 V) 1400 W (115 V)	1900 W (230 V) 1400 W (115 V)

TECHNICAL SPECIFICATIONS, COLOURS AND DIMENSIONS

In addition to the “standard” version with side panels and black base, Appia Life is also available in White Pearl and Heart Red, with chrome profiling.



Hole size and distance SINGLE GROUP

COMPARISON SHEET

APPIA life.

APPIA LIFE XT
3 GROUPS



VOLUMETRIC

APPIA LIFE XT
2 GROUPS



VOLUMETRIC

APPIA LIFE TIMER
3 GROUPS



VOLUMETRIC

APPIA LIFE TIMER
2 GROUPS



VOLUMETRIC

COMPARISON SHEET

VERSION		XT 3 GROUPS	XT 2 GROUPS	TIMER 3 GROUPS	TIMER 2 GROUPS
MODEL		**Volumetric**	**Volumetric**	**Volumetric**	**Volumetric**
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	15 lt	11 lt	15 lt	11 lt
	INSULATION	included	included	included	included
	PRESSURE SENSORS	included	included	not included	not included
	PID	included	included	not included	not included
GROUP	RAISED GROUPS	optional	optional	optional	optional
	LED LIGHTS	included	included	not included	not included
STEAM	EASYCREAM	optional	optional	optional	optional
	COOL TOUCH STEAM WAND	optional	optional	optional	optional
HOT WATER	N. WAND	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC	optional	optional	optional	optional
RAIL		optional	optional	optional	optional
TELEMETRY		optional	optional	optional	optional
DISPLAY		included	included	included	included
DIMENSION	W x D x H mm	1014 x 544 x 500	784 x 544 x 500	1014 x 544 x 500	784 x 544 x 500
WEIGHT	NET/GROS KG	72/85	54/66	72/85	54/66
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N
	MAXIMUM POWER	5200 W	3150 W	5200 W	3150 W

APPIA LIFE
3 GROUPS



SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE
2 GROUPS



SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE COMPACT
2 GROUPS



SEMI-AUTOMATIC

VOLUMETRIC

APPIA LIFE
1 GROUP



SEMI-AUTOMATIC

VOLUMETRIC

VERSION		3 GROUPS		2 GROUPS		COMPACT		1 GROUP	
MODEL		**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**	**Semi-automatic**	**Volumetric**
BODY	MATERIAL	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS	stainless steel with ABS
BOILER	TOTAL CAPACITY	15 lt	15 lt	11 lt	11 lt	7,5 lt	7,5 lt	5 lt	5 lt
	INSULATION	included	included	included	included	included	included	included	included
	PID	not included	not included	not included	not included	not included	not included	not included	not included
GROUP	RAISED GROUPS	optional	optional	optional	optional	optional	optional	included	included
STEAM	EASYCREAM		optional		optional		optional		optional
HOT WATER	N. WAND	1	1	1	1	1	1	1	1
	ECONOMIZER	optional	optional	optional	optional	optional	optional	optional	optional
CUPWARMER	ON/OFF ELECTRIC		optional		optional	optional	optional	optional	optional
RAIL		optional	optional	optional	optional				
TELEMETRY			optional		optional		optional		optional
DIMENSION	W x D x H mm	1014 x 544 x 500	1014 x 544 x 500	784 x 544 x 500	784 x 544 x 500	554 x 545 x 498	554 x 545 x 498	404 x 545 x 498	404 x 545 x 498
WEIGHT	NET/GROS KG	72/85	72/85	54/66	54/66	42,5/52,5	42,5/52,5	32,5/41	32,5/41
POWER	VOLTAGE	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 380-415 V V3N	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz	220-240 V 50/60 Hz 110-120 V 60 Hz
	MAXIMUM POWER	5200 W	5200 W	3150 W	3150 W	2900 W (230 V) 1400 W (115 V)	2900 W (230 V) 1400 W (115 V)	1900 W (230 V) 1400 W (115 V)	1900 W (230 V) 1400 W (115 V)

APPIA life.

Coffee machines for life.






nuova
SIMONELLI®
The coffee machines you can trust.

nuova SIMONELLI®

The coffee machines you can trust.

ITALY

Simonelli Group
Via E. Betti, 1
62020 Belforte del Chienti
Macerata - Italy
T +39 0733 9501
F +39 0733 950242
info@simonelligroup.it
www.simonelligroup.it

WEBSITE

YOUTUBE

www.nuovasimonelli.it

ENG