


SALADETTE






SALADETTE
SLV02
2 porte / *2 doors*




SP
Senza piano con sottopiano isolante
Without worktop with insulating underlay

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
900 x 700 x 840 mm



EKO
Coperchio in acciaio inox + piano in polietilene
Stainless steel lid + polyethylene worktop

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
900 x 700 x 880 mm




NX
Piano in acciaio inox
Stainless steel worktop

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
904 x 700 x 880 mm




GR
Piano in granito
Granite worktop

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
904 x 700 x 870 mm




AL
Piano in acciaio inox con alzatina
Stainless steel worktop and splashback

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
904 x 700 x 980 mm



VD
Piano in polietilene ed alzata in vetro dritto temperato
Polyethylene worktop and straight tempered glass

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
900 x 700 x 1058 mm




AI
Piano in granito e alzata in acciaio inox, predisposto per 5 vaschette GN 1/6
Granite worktop and stainless steel splashback, suitable for 5 x 1/6 GN bowls







Dimensioni (LxPxH) / *Dimensions (LxDxH):*
904 x 700 x 1080 mm

Volume interno / *Internal volume*	**SP** / **NX** / **GR** / **AL** 210 Lt	**EKO** / **VD** / **AI** 148 Lt
Volume utile / *Useful volume*	**SP** / **NX** / **GR** / **AL** 73 Lt	**EKO** / **VD** / **AI** 53 Lt
Assorbimento all'avviamento / *Starting electrical input*	350 W / 1,85 A	
Assorbimento a regime / *Steady state electrical input*	250 W / 1,5 A	
Temperatura d'esercizio / *Working temperature*	+ 4°C / + 6 °C	
Gas refrigerante / *Cooling gas*	R452A - R455A - **R290**	
Classe climatica - Dati collaudo / *Climatic class - Testing data*	4 - Temperatura + 30°C / Umidità relativa 60% *4 - Temperature + 30°C / Relative humidity 60%*	
Alimentazione / *Power supply*	220 / 240 V - 1P - 50 Hz (60 Hz A richiesta / *On request*)	

SALADETTE




SALADETTE
SLV03
3 porte / *3 doors*

 **SP** Senza piano con sottopiano isolante *Without worktop with insulating underlay*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1380 x 700 x 840 mm
 **EKO** Coperchio in acciaio inox + piano in polietilene *Stainless steel lid + polyethylene worktop*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1380 x 700 x 880 mm
 **NX** Piano in acciaio inox *Stainless steel worktop*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1384 x 700 x 880 mm
 **GR** Piano in granito *Granite worktop*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1384 x 700 x 870 mm
 **AL** Piano in acciaio inox con alzatina *Stainless steel worktop and splashback*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1384 x 700 x 980 mm
 **VD** Piano in polietilene ed alzata in vetro dritto temperato *Polyethylene worktop and straight tempered glass*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1380 x 700 x 1058 mm
 **AI** Piano in granito e alzata in acciaio inox, predisposto per 8 vaschette GN 1/6 *Granite worktop and stainless steel splashback, suitable for 8 x 1/6 GN bowls*	Dimensioni (LxPxH) / *Dimensions (LxDxH):* 1380 x 700 x 1080 mm


Volume interno / *Internal volume*	**SP / NX / GR / AL** 330 Lt	**EKO / VD / AI** 229 Lt
Volume utile / *Useful volume*	**SP / NX / GR / AL** 146 Lt	**EKO / VD / AI** 106 Lt
Assorbimento all'avviamento / *Starting electrical input*	350 W / 1,76 A	
Assorbimento a regime / *Steady state electrical input*	250 W / 1,59 A	
Temperatura d'esercizio / *Working temperature*	+ 4°C / + 6 °C	
Gas refrigerante / *Cooling gas*	R452A - R455A - **R290**	
Classe climatica - Dati collaudo / *Climatic class - Testing data*	4 - Temperatura + 30°C / Umidità relativa 60% *4 - Temperature + 30°C / Relative humidity 60%*	
Alimentazione / *Power supply*	220 / 240 V - 1P - 50 Hz (60 Hz A richiesta / *On request*)	

SALADETTE PIZZA


PIZZA SALADETTE



SALADETTE PIZZA / *PIZZA SALADETTE*
SLV03PZ
3 porte / *3 doors*




SALADETTE PIZZA / *PIZZA SALADETTE*
SLV03PZ + VR4140VD
3 porte + **VR4140VD** vetrina refrigerata ingredienti pizza / *3 doors* + ***VR4140VD*** *refrigerated display for pizza ingredients*



SALADETTE PIZZA con piano e alzatine in granito.
Pizza SALADETTE *with granite worktop and splashbacks.*

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
1410 x 700 x 1070 mm



SALADETTE PIZZA con piano e alzatine in granito + vetrina refrigerata ingredienti pizza, **VD** vetri dritti temperati.
PIZZA SALADETTE *with granite worktop and splashbacks + refrigerated display for pizza ingredients, with* ***VD*** *straight tempered glass.*

VR4140VD
Cod. Vetrina refrigerata ingredienti pizza.
Cod. Refrigerated display for pizza ingredients.

Dimensioni (LxPxH) / *Dimensions (LxDxH):*
1410 x 700 x 1525 mm

Volume interno / *Internal volume*	350 Lt	
Volume utile / *Useful volume*	250 Lt	
Assorbimento all'avviamento / *Starting electrical input*	Saladette: 350 W / 1,76 A	**VR4140VD**: 260 W / 1,52 A
Assorbimento a regime / *Steady state electrical input*	Saladette: 250 W / 1,59 A	**VR4140VD**: 220 W / 1,40 A
Temperatura d'esercizio / *Working temperature*	+ 4°C / + 6 °C	
Gas refrigerante / *Cooling gas*	R452A - R455A - **R290** (A richiesta / *On request)*	
Classe climatica - Dati collaudo / *Climatic class - Testing data*	4 - Temperatura + 30°C / Umidità relativa 60% *4 - Temperature + 30°C / Relative humidity 60%*	
Alimentazione / *Power supply*	220 / 240 V - 1P - 50 Hz (60 Hz A richiesta / *On request*)	