

6 SLICES ECONOMIC SINGLE TOASTER
TOSTI S5

Ref: 2.0.072.2002
Fiamma

Sturdy and reliable structure.
Structure in stainless steel.
Timer with 15 minutes range and a continuous mode.

FEATURES	
Dimensions (WDH)	525x305x325 mm
Power	1.8 kW
Power supply	230V/1/50 Hz
Capacity (slices)	6 un.
Heating element (per floor)	2 un.
Weight	8.2 kg
Packaging dimensions	330x550x350 mm
Gross weight	9 kg



12 SLICES ECONOMIC DOUBLE TOASTER
TOSTI D5

Ref: 2.0.074.2002
Fiamma

Sturdy and reliable structure.
Structure in stainless steel.
Timer with 15 minutes range and a continuous mode.

FEATURES	
Dimensions (WDH)	525x305x445 mm
Power	2.7 kW
Power supply	230V/1/50 Hz
Capacity (slices)	2x 6 un.
Heating element (per floor)	2 un.
Weight	10.4 kg
Packaging dimensions	320x540x500 mm
Gross weight	12 kg



ELECTRIC SALAMANDER WITH 1 UPPER HEATING UNIT

SEF 450

Ref: 2.0.130.0000
Fiamma

Multifunctional equipment for roasting, heating and preparing a wide variety of recipes.
Adjustable power.
Heating elements in stainless steel.
Structure made in stainless steel.

FEATURES	
Dimensions (WDH)	600x400x455 mm
Chamber	450x350x215 mm
Power	2.3 kW
Power supply	230V/1/50Hz
Levels	3
Weight	14.1 kg
Packaging dimensions	430x600x490 mm
Gross weight	17 kg



ELECTRIC SALAMANDER WITH 1 UPPER HEATING UNIT AND 1 LOWER HEATING UNIT
SEF 450I

Ref: 2.0.130.0010
Fiamma

Multifunctional equipment for roasting, heating and preparing a wide variety of recipes.
Adjustable power.
Heating elements in stainless steel.
Structure made in stainless steel.

FEATURES	
Dimensions (WDH)	600x400x455 mm
Chamber	450x350x215 mm
Power	2.3 kW + 1.3 kW
Power supply	230V/1/50Hz
Levels	3
Weight	15 kg
Packaging dimensions	20x605x500 mm
Gross weight	16,5 kg



MAXI TOASTER / SALAMANDER WITH CAPACITY FOR GN 1/1 CONTAINERS
MTS 2.11

Ref: 2.0.137.0001
Fiamma

Highly versatile equipment, use as a large capacity toaster or as a salamander.
Independent control of each heating level: upper, middle and lower level. Timer with 15 minutes range and continuous mode.
Structure made in stainless steel.

FEATURES	
Dimensions (WDH)	685x396x452 mm
Power	4.5 kW
Power supply	230V/1/50 Hz / 400V/2N
Capacity (slices)	2x 12 un.
Heating element (per floor)	3 un.
Work space	2x 540x350x89 mm
Weight	22 kg
Gross weight	22 kg